

- Alvarez-Perez, S., Baker, L.J., Morris, M.M., Tsuji, K., Sanchez, V.A., Fukami, T., Vannette, R.L., Lievens, B., Hendry, T.A.Y. 2021, n.d. *Acinetobacter pollinis* sp. nov., *Acinetobacter baretiae* sp. nov. and *Acinetobacter rathckeae* sp. nov., isolated from floral nectar and honey bees. *International Journal of Systematic and Evolutionary Microbiology* 71, 004783. <https://doi.org/10.1099/ijsem.0.004783>
- Balachowski, J.A., Bristiel, P.M., Volaire, F.A., 2016. Summer dormancy, drought survival and functional resource acquisition strategies in California perennial grasses. *Ann Bot* 118, 357–368. <https://doi.org/10.1093/aob/mcw109>
- Barbara Németh, M., L. Smith-Huerta, N., 2002. Effects of Pollen Load Composition and Deposition Pattern on Pollen Performance in *Clarkia unguiculata* (Onagraceae). *International Journal of Plant Sciences* 163, 795–802. <https://doi.org/10.1086/ijps.2002.163.issue-5>
- Benard, M.F., Fordyce, J.A., 2003. Are induced defenses costly? Consequences of predator-induced defenses in western toads, *Bufo boreas*. *Ecology* 84, 68–78. [https://doi.org/10.1890/0012-9658\(2003\)084\[0068:AIDCCO\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2003)084[0068:AIDCCO]2.0.CO;2)
- Benoit, L.F., Berry, A.M., 1987. *Cercocarpus betuloides* and *Ceanothus* sp Field Surveys and Plant Material Collections in Stebbins Reserve 1986 and 1987.
- Berger, E., Phan, G., 2000. Estimating Attributes of Pollinator Attraction.
- Boose, D.L., 1997. Sources of variation in floral nectar production rate in *Epilobium canum* (Onagraceae): implications for natural selection. *Oecologia* 110, 493–500. <https://doi.org/10.1007/s004420050185>
- Boose, D.L., 1993. Pollinator behavior on plant reproductive success.
- Broome, H.J., Stark, B.P., Baumann, R.W., 2019. A Review of the Genus *Bolshecapnia* Ricker, 1965 (plecoptera: Capniidae), and Recognition of Two New Nearctic Capniid Genera. *Illiesia; Ljubljana* 15, 1–26. <http://dx.doi.org/10.25031/2019/15.01>
- Calkin, H.W., 1983a. Seasonal progressions in the water relations of deciduous and evergreen perennials co-occurring in a moist chaparral site.
- Calkin, H.W., 1983b. Null Balance systems. Presented at the Symposium on current methods of photosynthetic measurement. Annual AIBS Meeting.
- Calkin, H.W., Percy, C.E., C. Oechel, 1982. Seasonal progressions in the water relations of deciduous and evergreen perennials in the northern California chaparral. Presented at the Symposium on Dynamics and Management of Mediterranean-type Ecosystems, p. 591.
- Calkin, H.W., Percy, R.W., 1984a. Seasonal progressions of tissue and cell water relations parameters in evergreen and deciduous perennials. *Plant, Cell & Environment* 7, 347–352. <https://doi.org/10.1111/1365-3040.ep11589802>
- Calkin, H.W., Percy, R.W., 1984b. Leaf conductance and transpiration, and water relations of evergreen and deciduous perennials co-occurring in a moist chaparral site. *Plant, Cell & Environment* 7, 339–346. <https://doi.org/10.1111/1365-3040.ep11589798>
- Carlson, R.L., 2022. The Cold Canyon Fire journals: green shoots and silver linings in the ashes. Heyday, Berkeley, California.
- Chang, A.T., Sih, A., 2013. Multilevel selection and effects of keystone hyperaggressive males on mating success and behavior in stream water striders. *Behavioral Ecology* art044. <https://doi.org/10.1093/beheco/art044>
- Cridland, J.M., Ramirez, S.R., Dean, C.A., Sciligo, A., Tsutsui, N.D., 2018. Genome Sequencing of Museum Specimens Reveals Rapid Changes in the Genetic Composition of Honey Bees in California. *Genome Biol Evol* 10, 458–472. <https://doi.org/10.1093/gbe/evy007>

- Dawson, K.J., 1985. Natural area planning for recreational use transition. *Landscape Planning* 12, 111–123. [https://doi.org/10.1016/0304-3924\(85\)90055-3](https://doi.org/10.1016/0304-3924(85)90055-3)
- Dawson, K.J., 1983. Recreational management for newly established natural areas *Landscape Planning*. Presented at the Proceedings 48th North American Wildlife Conference, pp. 544–550.
- Dole, J.A., 1992. Reproductive Assurance Mechanisms in Three Taxa of the *Mimulus guttatus* Complex (Scrophulariaceae). *American Journal of Botany* 79, 650–659. <https://doi.org/10.2307/2444881>
- Durham, D.M., Sieradzki, E.T., Horst, A.M. ter, Santos-Medellín, C., Bess, C.W.A., Geonczy, S.E., Emerson, J.B., 2022. Substantial differences in soil viral community composition within and among four Northern California habitats. <https://doi.org/10.1101/2022.05.26.493654>
- Eiseman, C.S., Smith, D.R., 2019. Prolatus artus Smith (Hymenoptera: Tenthredinidae), a Leafminer of *Dichelostemma capitatum* (Benth.) Alph. Wood (Asparagaceae). *went* 121, 115–118. <https://doi.org/10.4289/0013-8797.121.1.115>
- ESP123, 1979. Chaparral Glade Ecotones; Plant Mosaics; Grassland-Shrub Canopy Ecotone.
- Falyn, J., 2004. *Berryessa Trail and Paddle Guide*.
- Feder, H., 2017. “The Universe is Imaginative”: An Interview with David Robertson. *Western American Literature* 52, 243–266. <https://doi.org/10.1353/wal.2017.0048>
- Fitzgerald, M., S. L. Ustin, 1995. Measuring Dry Plant Residues in Grasslands: A Case Study Using AVIRIS 2567–2578.
- Foley, J., Rejmanek, D., Foley, C., Matocq, M., 2016. Fine-scale genetic structure of woodrat populations (Genus: *Neotoma*) and the spatial distribution of their tick-borne pathogens. *Ticks and Tick-borne Diseases* 7, 243–253. <https://doi.org/10.1016/j.ttbdis.2015.10.017>
- Fordyce, J.A., 2006. Between-clutch interactions affect a benefit of group feeding for pipevine swallowtail larvae. *Ecological Entomology* 31, 75–83. <https://doi.org/10.1111/j.0307-6946.2006.00760.x>
- Fordyce, J.A., 2003. Aggregative feeding of pipevine swallowtail larvae enhances hostplant suitability. *Oecologia* 135, 250–257. <https://doi.org/10.1007/s00442-003-1177-8>
- Fordyce, J.A., 2001. The lethal plant defense paradox remains: inducible host-plant aristolochic acids and the growth and defense of the pipevine swallowtail. *Entomologia Experimentalis et Applicata* 100, 339–346. <https://doi.org/10.1046/j.1570-7458.2001.00881.x>
- Fordyce, J.A., 2000. A Model Without a Mimic: Aristolochic Acids from the California Pipevine Swallowtail, *Battus philenor hirsuta*, and Its Host Plant, *Aristolochia californica*. *J Chem Ecol* 26, 2567–2578. <https://doi.org/10.1023/A:1005588829864>
- Fordyce, J.A., Agrawal, A.A., 2001. The role of plant trichomes and caterpillar group size on growth and defence of the pipevine swallowtail *Battus philenor*. *Journal of Animal Ecology* 70, 997–1005. <https://doi.org/10.1046/j.0021-8790.2001.00568.x>
- Fordyce, J.A., Dimarco, R.D., Blankenship, B.A., Nice, C.C., 2010. Host plant trichomes and the advantage of being big: progeny size variation of the pipevine swallowtail. *Ecological Entomology* 35, 104–107. <https://doi.org/10.1111/j.1365-2311.2009.01134.x>
- Fordyce, J.A., Marion, Z.H., Shapiro, A.M., 2005. Phenological Variation in Chemical Defense of the Pipevine Swallowtail, *Battus philenor*. *J Chem Ecol* 31, 2835–2846. <https://doi.org/10.1007/s10886-005-8397-9>
- Fordyce, J.A., Nice, C.C., 2004. Geographic Variation in Clutch Size and a Realized Benefit of

- Aggregative Feeding. *Evolution* 58, 447–450. <https://doi.org/10.1111/j.0014-3820.2004.tb01661.x>
- Fordyce, J.A., Nice, C.C., 2003. Contemporary Patterns in a Historical Context: Phylogeographic History of the Pipevine Swallowtail, *Battus philenor* (papilionidae). *Evolution* 57, 1089–1099. <https://doi.org/10.1111/j.0014-3820.2003.tb00318.x>
- Fordyce, J.A., Nice, C.C., Shapiro, A.M., 2006. A novel trade-off of insect diapause affecting a sequestered chemical defense. *Oecologia* 149, 101–106. <https://doi.org/10.1007/s00442-006-0428-x>
- Fordyce, J.A., Shapiro, A.M., 2003. Another Perspective on the Slow-growth/High-mortality Hypothesis: Chilling Effects on Swallowtail Larvae. *Ecology* 84, 263–268. [https://doi.org/10.1890/0012-9658\(2003\)084\[0263:APOTSG\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2003)084[0263:APOTSG]2.0.CO;2)
- Forister, M.L., Fordyce, J.A., Shapiro, A.M., 2004. Geological barriers and restricted gene flow in the holarctic skipper *Hesperia comma* (Hesperiidae). *Molecular Ecology* 13, 3489–3499. <https://doi.org/10.1111/j.1365-294X.2004.02349.x>
- Fremier, A.K., Talley, T.S., 2009. Scaling riparian conservation with river hydrology: Lessons from blue elderberry along four California rivers. *Wetlands* 29, 150–162. <https://doi.org/10.1672/07-243.1>
- French, L.D., 1982. Annual Report of the UC Stebbins Cold Canyon Preserve Terrestrial Arthropod Survey.
- Gadau, J., Brady, S.G., Ward, P.S., 1999. Systematics, Distribution, and Ecology of an Endemic California *Camponotus quercicola* (Hymenoptera: Formicidae). *Annals of the Entomological Society of America* 92, 514–522.
- Gamon, J.A., Pearcy, R.W., 1990. Photoinhibition in *Vitis californica*: interactive effects of sunlight, temperature and water status. *Plant, Cell & Environment* 13, 267–275. <https://doi.org/10.1111/j.1365-3040.1990.tb01311.x>
- Gamon, J.A., Pearcy, R.W., 1988a. Photosynthesis on *Vitis californica*: the lack of photoinhibition under natural conditions. Presented at the Plant Physiology, pp. 487–494.
- Gamon, J.A., Pearcy, R.W., 1988b. Inhibition of photosynthesis in *Vitis californica* by extreme temperatures and high PFD.
- Greene, C.M., Huntzinger, M., Shannon, D., French, J., 2001. The natural history of Stebbins Cold Canyon Reserve. University of California, Natural Reserve System, [California].
- H. W. Calkin, 1980. Seasonal patterns of diurnal water relations in three California chaparral species. Presented at the LXI Annual Meeting Pacific Division of the American Association for the Advancement of Science.
- Hamm, C.A., 2010. Multivariate discrimination and description of a new Species of *Tapinoma* from the western United States 20–29.
- Hammond, J.I., Luttbeg, B., Brodin, T., Sih, A., 2012. Spatial scale influences the outcome of the predator–prey space race between tadpoles and predatory dragonflies. *Functional Ecology* 26, 522–531. <https://doi.org/10.1111/j.1365-2435.2011.01949.x>
- Harfmann, J.L., Guillemette, F., Kaiser, K., Spencer, R.G.M., Chuang, C.-Y., Hernes, P.J., 2019. Convergence of Terrestrial Dissolved Organic Matter Composition and the Role of Microbial Buffering in Aquatic Ecosystems. *Journal of Geophysical Research: Biogeosciences* 124, 3125–3142. <https://doi.org/10.1029/2018JG004997>
- Hart, Q.J., 1994. Estimating Dry Grass Residues Using Landscape Intergration Analysis.
- Haun, L., 1982. The Census of the Pasadena Screech Owl (*Otus asio quercinus*).
- Heinz, K.M., 1996. Host size selection and sex allocation behaviour among parasitoid trophic

- levels. *Ecological Entomology* 21, 218–226. <https://doi.org/10.1111/j.1365-2311.1996.tb01238.x>
- Heydon, S.L., Bouček, Z., 1992. Taxonomic changes in nearctic Pteromalidae, with the description of some new taxa (Hymenoptera: Chalcidoidea). *Proceedings of the Entomological Society of Washington* 94, 471–489.
- Kaitala, A., 1989. *The Study of the Waterstrider Gerris remigis in Stebbins Cold Canyon*. University of California, Davis.
- Kaitala, A., Dingle, 1988. The effect of wing dimorphism on territoriality and mating strategies of the waterstrider *Gerris remigis*. Presented at the 2nd International Behavioral Ecology Conference.
- Kaitala, A., Dingle, H., 1993. Wing dimorphism, territoriality and mating frequency of the waterstrider *Aquarius-remigis* (say) 163–168.
- Kaitala, A., Dingle, H., 1992. Spatial and Temporal Variation in Wing Dimorphism of California Populations of the Waterstrider *Aquarius remigis* (Heteroptera: Gerridae). *Annals of the Entomological Society of America* 85, 590–595.
- Klahorst, S., 2009. At home in nature 23–27.
- Krahulcová, A., Trávníček, P., Krahulec, F., Rejmánek, M., 2017. Small genomes and large seeds: chromosome numbers, genome size and seed mass in diploid *Aesculus* species (Sapindaceae). *Ann Bot* 119, 957–964. <https://doi.org/10.1093/aob/mcw261>
- Kremen, C., Bugg, R.L., Nicola, N., Smith, S.A., Thorp, R.W., Williams, N.M., 2002. Native bees, native plants and crop pollination in California. *Fremontia* 30, 41–49.
- Krimmel, B., Pearse, I.S., 2016. Tolerance and phenological avoidance of herbivory in tarweed species. *Ecology* 97, 1357–1363. <https://doi.org/10.1890/15-1454.1>
- Krimmel, B.A., Pearse, I.S., 2013. Sticky plant traps insects to enhance indirect defence. *Ecol Lett* 16, 219–224. <https://doi.org/10.1111/ele.12032>
- Langellotto, G.A., Rosenheim, J.A., Williams, M.R., 2006. Assessing trophic interactions in a guild of primary parasitoids and facultative hyperparasitoids: stable isotope analysis. *Oecologia* 150, 291–299. <https://doi.org/10.1007/s00442-006-0514-0>
- Langellotto, G.A., Rosenheim, J.A., Williams, M.R., 2005. Enhanced Carbon Enrichment in Parasitoids (Hymenoptera): A Stable Isotope Study. *Annals of the Entomological Society of America* 98, 205–213. [https://doi.org/10.1603/0013-8746\(2005\)098\[0205:ECEIPH\]2.0.CO;2](https://doi.org/10.1603/0013-8746(2005)098[0205:ECEIPH]2.0.CO;2)
- Latimer, A.M., Jacobs, B.S., Gianoli, E., Heger, T., Salgado-Luarte, C., 2019. Parallel functional differentiation of an invasive annual plant on two continents. *AoB PLANTS* 11. <https://doi.org/10.1093/aobpla/plz010>
- Lawrence, D.P., Peduto Hand, F., Gubler, W.D., Trouillas, F.P., 2017. Botryosphaeriaceae species associated with dieback and canker disease of bay laurel in northern California with the description of *Dothiorella californica* sp. nov. *Fungal Biology, Botryosphaeriaceae: systematics, pathology and genetics* 121, 347–360. <https://doi.org/10.1016/j.funbio.2016.09.005>
- Lin, J.Y., Huang, L., Won, S.J., Rodrigues, J.L.M., 2022. Treponema endosymbionts are the dominant bacterial members with ureolytic potential in the gut of the wood-feeding termite, *Reticulitermes hesperus* (preprint). In Review. <https://doi.org/10.21203/rs.3.rs-1225749/v2>
- Luttbeg, B., Hammond, J.I., Brodin, T., Sih, A., 2020. Predator hunting modes and predator–prey space games. *Ethology* 126, 476–485. <https://doi.org/10.1111/eth.12998>

- Lynch, M.F., Fesnock, A.L., Vuren, D.V., 1994. Home Range and Social Structure of the Dusky-Footed Woodrat (*Neotoma fuscipes*). *Northwestern Naturalist* 75, 73–75. <https://doi.org/10.2307/3536768>
- Lyons, K.G., Shapiro, A.M., Schwartz, M.W., 2010. Distribution and Ecotypic Variation of the Invasive Annual Barb Goatgrass (*Aegilops triuncialis*) on Serpentine Soil. *Invasive Plant Science and Management* 3, 376–389. <https://doi.org/10.1614/IPSM-09-036.1>
- Miller, J.E.D., Weill, A.M., Villella, J., 2022. Epiphytic macrolichen communities take decades to recover after high-severity wildfire in chaparral shrublands. *Diversity and Distributions* 28, 454–462. <https://doi.org/10.1111/ddi.13295>
- Montiglio, P.-O., Wey, T.W., Chang, A.T., Fogarty, S., Sih, A., 2017a. Correlational selection on personality and social plasticity: morphology and social context determine behavioural effects on mating success. *J Anim Ecol* 86, 213–226. <https://doi.org/10.1111/1365-2656.12610>
- Montiglio, P.-O., Wey, T.W., Chang, A.T., Fogarty, S., Sih, A., 2016. Multiple mating reveals complex patterns of assortative mating by personality and body size. *J Anim Ecol* 85, 125–135. <https://doi.org/10.1111/1365-2656.12436>
- Montiglio, P.-O., Wey, T.W., Sih, A., 2017b. Effects of the group's mix of sizes and personalities on the emergence of alternative mating systems in water striders. *Behav Ecol* 28, 1068–1074. <https://doi.org/10.1093/beheco/ax070>
- Moore, E.M., J. Moore, 2001. Geology of the Putah Creek - Cache Creek Watershed Region.
- Németh, M.B., Smith-Huerta, N.L., 2003. Pollen Deposition, Pollen Tube Growth, Seed Production, and Seedling Performance in Natural Populations of *Clarkia unguiculata* (Onagraceae). *International Journal of Plant Sciences* 164, 153–164. <https://doi.org/10.1086/ijps.2003.164.issue-1>
- Nice, C.C., Fordyce, J.A., 2006. How caterpillars avoid overheating: behavioral and phenotypic plasticity of pipevine swallowtail larvae. *Oecologia* 146, 541–548. <https://doi.org/10.1007/s00442-005-0229-7>
- Oqvist, C., 1999. Surface and Bedrock Geology of the Cold Canyon Area, Vaca Mountains, Solano County, California.
- Orlando, V., Chitambar, J.J., Dong, K., Chizhov, V.N., Mollov, D., Bert, W., Subbotin, S.A., 2016. Molecular and morphological characterisation of *Xiphinema americanum*-group species (Nematoda: Dorylaimida) from California, USA, and other regions, and co-evolution of bacteria from the genus *Candidatus Xiphinematobacter* with nematodes. *Nematology* 18, 1015–1043. <https://doi.org/10.1163/15685411-00003012>
- Pascoe, E.L., Plourde, B.T., Lopéz-Perez, A.M., Foley, J.E., 2020. Response of small mammal and tick communities to a catastrophic wildfire and implications for tick-borne pathogens. *Journal of Vector Ecology* 45, 269–284. <https://doi.org/10.1111/jvec.12398>
- Pauly, G.B., M. F. Benard, 2002. *Crotalus Viridis Oregonus* 56–57.
- Peña-Santiago, R., Álvarez-Ortega, S., Subbotin, S.A., 2013. Morphological and molecular study of Californian species of the genus *Aporcelaimellus* Heyns, 1965 (Dorylaimida: Aporcelaimidae). *Nematology* 15, 431–449. <https://doi.org/10.1163/15685411-00002691>
- Perez, A., Montiglio, P.-O., Wey, T.W., Sih, A., 2019. Male social plasticity influences transient dynamics in the emergence of alternative mating systems in water striders. *Behav Ecol* 30, 1530–1538. <https://doi.org/10.1093/beheco/arz108>
- Rejmanek, M., Richardson, D.M., Pysek, P., 2005. Ch 13: Plant invasions and invasibility of plant communities. Blackwell, pp. 332–355.

- Rering, C.C., Beck, J.J., Hall, G.W., McCartney, M.M., Vannette, R.L., 2017. Nectar-inhabiting microorganisms influence nectar volatile composition and attractiveness to a generalist pollinator. *New Phytol* n/a-n/a. <https://doi.org/10.1111/nph.14809>
- Rorabaugh, J., 1981. The Salamanders of the Stebbins Cold Canyon Reserve: A Survey.
- Rosenheim, J.A., Jepsen, S.J., Matthews, C.E., Smith, D.S., Rosenheim, M.R., 2008. Time Limitation, Egg Limitation, the Cost of Oviposition, and Lifetime Reproduction by an Insect in Nature. *The American Naturalist* 172, 486–496. <https://doi.org/10.1086/523975>
- Rosenheim, J.A., Jepsen, S.J., Matthews, C.E., Smith, D.S., Rosenheim, M.R., 2007. Portrait of an Ephemeral Adult Stage: Egg Maturation, Oviposition, and Longevity of the Gall Midge *Rhopalomyia californica* (Diptera: Cecidomyiidae). *Annals of the Entomological Society of America* 100, 549–561. [https://doi.org/10.1603/0013-8746\(2007\)100\[549:POAEAS\]2.0.CO;2](https://doi.org/10.1603/0013-8746(2007)100[549:POAEAS]2.0.CO;2)
- Schluter, D., 1988. Character Displacement and the Adaptive Divergence of Finches on Islands and Continents. *The American Naturalist* 131, 799–824.
- Schmidt, R.H., 1984. Coyote Delivery Device Trials at Stebbins Cold Canyon Reserve.
- Schmidt, R.H., 1983. Recent Advances in Methodology for Delivery of Active Ingredients for Coyote Management.
- Schmidt, R.H., Cairns, J., 1986. Community-level effects of coyote population reduction. pp. 49–65.
- Scott, S.M., Dingle, F.G., 1990. Developmental programs and adaptive syndromes in insect life cycles.
- Segoli, M., 2016. Effects of habitat type and spatial scale on density dependent parasitism in *Anagrus* parasitoids of leafhopper eggs. *Biological Control* 92, 139–144. <https://doi.org/10.1016/j.biocontrol.2015.10.011>
- Segoli, M., Rosenheim, J.A., 2013a. The link between host density and egg production in a parasitoid insect: comparison between agricultural and natural habitats. *Funct Ecol* 27, 1224–1232. <https://doi.org/10.1111/1365-2435.12109>
- Segoli, M., Rosenheim, J.A., 2013b. Limits to the reproductive success of two insect parasitoid species in the field. *Ecology* 94, 2498–2504. <https://doi.org/10.1890/13-0262.1>
- Sih, A., Chang, A.T., Wey, T.W., 2014. Effects of behavioural type, social skill and the social environment on male mating success in water striders. *Animal Behaviour* 94, 9–17. <https://doi.org/10.1016/j.anbehav.2014.05.010>
- Sih, A., Montiglio, P.-O., Wey, T.W., Fogarty, S., 2017. Altered physical and social conditions produce rapidly reversible mating systems in water striders. *Behav Ecol* 28, 632–639. <https://doi.org/10.1093/beheco/axx021>
- Smith, D.R., 2011. The Nearctic Oak-Feeding Sawflies of *Periclista* Subgenus *Neocharactus* (Hymenoptera: Tenthredinidae). *Transactions of the American Entomological Society* (1890-) 137, 225–250.
- Snow, A.A., 1986. Pollination Dynamics in *Epilobium canum* (Onagraceae): Consequences for Gametophytic Selection. *American Journal of Botany* 73, 139–151. <https://doi.org/10.2307/2444286>
- Snow, A.A., 1983. Evidence for pollen tube competition in *Epilobium canum* (Onograceae). p. 1.
- Sommer, B., Sommer, B., 1996. Mushrooms of the Stebbins Cold Canyon Reserve.
- Stein, M.S., 2001. Stebbins' Cold Canyon Reserve 6–7.
- Stitt, E.W., 2007. *Thamnophis atratus* (coast garter snake). *Arboreal behavior*. 157–158.
- Stoms, D.M., 2014. Ecological Research Reserve Planning, in: Reynolds, K.M., Hessburg, P.F.,

- Bourgeron, P.S. (Eds.), Making Transparent Environmental Management Decisions, Environmental Science and Engineering. Springer Berlin Heidelberg, pp. 175–203.
- Talley, T., 2005. Spatial ecology and conservation of the valley elderberry longhorn beetle.
- Teague, S., 1983. Aquatic Invertebrates and Algae of the GL Stebbins Cold Canyon Reserve.
- Thomson, R.C., Spinks, P.Q., Shaffer, H.B., 2010. Distribution and Abundance of Invasive Red-Eared Sliders (*Trachemys scripta elegans*) in California's Sacramento River Basin and Possible Impacts on Native Western Pond Turtles (*Emys marmorata*). *Chelonian Conservation and Biology* 9, 297–302. <https://doi.org/10.2744/CCB-0820.1>
- Torres-Lezama, A., 1990. Effects of competition and environmental factors on life history parameters of *Lupinus albifrons* Benth. *Dissertation Abstracts International. B, Sciences and Engineering* 51, 553B-554B.
- Torres-Lezama, A., 1989. Affects of competition and environmental factors on life history parameters of *Lupinua albifrons*.
- Ustin, S.L., 1994. Estimating Dry Grass Biomass Residues Using AIRIS Image Analysis 1211–1212.
- USTIN, S.L., HART, Q.J., DUAN, L., SCHEER, G., 1996. Vegetation mapping on hardwood rangelands in California. *International Journal of Remote Sensing* 17, 3015–3036. <https://doi.org/10.1080/01431169608949125>
- Ustin, S.L., Hart, Q.J., Scheer, G., Duan, L., 2003. Estimating dry grass biomass residues using AVIRIS image analysis. Presented at the IGARSS '94. International Geoscience and Remote Sensing Symposium. Surface and Atmospheric Remote Sensing: Technologies, Data Analysis and Interpretation (Cat. No.94CH3378-7), p. 1211. <https://doi.org/10.1109/IGARSS.1994.399387>
- Uzun, H., Dahlgren, R.A., Olivares, C., Erdem, C.U., Karanfil, T., Chow, A.T., 2020. Two years of post-wildfire impacts on dissolved organic matter, nitrogen, and precursors of disinfection by-products in California stream waters. *Water Research* 181, 115891. <https://doi.org/10.1016/j.watres.2020.115891>
- Valladares, F., Pearcy, R.W., 2002. Drought can be more critical in the shade than in the sun: a field study of carbon gain and photo-inhibition in a Californian shrub during a dry El Niño year. *Plant, Cell & Environment* 25, 749–759. <https://doi.org/10.1046/j.1365-3040.2002.00856.x>
- Valladares, F., Pearcy, R.W., 1999. The geometry of light interception by shoots of *Heteromeles arbutifolia*: morphological and physiological consequences for individual leaves. *Oecologia* 121, 171–182. <https://doi.org/10.1007/s004420050919>
- Valladares, F., Pearcy, R.W., 1998. The functional ecology of shoot architecture in sun and shade plants of *Heteromeles arbutifolia* M. Roem., a Californian chaparral shrub. *Oecologia* 114, 1–10. <https://doi.org/10.1007/s004420050413>
- Valladares, F., Pearcy, R.W., 1997. Interactions between water stress, sun-shade acclimation, heat tolerance and photoinhibition in the sclerophyll *Heteromeles arbutifolia*. *Plant, Cell & Environment* 20, 25–36. <https://doi.org/10.1046/j.1365-3040.1997.d01-8.x>
- Vannette, Rachel L., McMunn, M.S., Hall, G.W., Mueller, T.G., Munkres, I., Perry, D., 2021. Fungi are more dispersal limited than bacteria among flowers. <https://doi.org/10.1101/2020.05.19.104968>
- Vannette, Rachel L, McMunn, M.S., Hall, G.W., Mueller, T.G., Munkres, I., Perry, D., 2021. Culturable bacteria are more common than fungi in floral nectar and are more easily dispersed by thrips, a ubiquitous flower visitor. *FEMS Microbiology Ecology* 97,

- fiab150. <https://doi.org/10.1093/femsec/fiab150>
- Ward, P.S., 1999. Deceptive similarity in army ants of the genus *Neivamyrmex* (Hymenoptera: Formicidae): taxonomy, distribution and biology of *N. californicus* (Mayr) and *N. nigrescens* (Cresson) 74–97.
- Ward, Philip S., 1988. Mesic Elements in the Western Nearctic Ant Fauna: Taxonomic and Biological Notes on *Amblyopone*, *Proceratium*, and *Smithistruma* (Hymenoptera: Formicidae). *Journal of the Kansas Entomological Society* 61, 102–124.
- Ward, P. S., 1988. Research report on ant studies at Stebbins Cold Canyon Reserve.
- Ward, P.S., 1987. Distribution of the introduced Argentine ant (*Iridomyrmex humilis*) in natural habitats of the lower Sacramento valley and its effects on the indigenous ant fauna 39828.
- Ward, P.S., 1984. The Ant Fauna of Stebbins Cold Canyon Reserve - a preliminary report.
- Weathers, W.W., Cole, R., 1985. Flora and Fauna of the Stebbins Cold Canyon Reserve, Solano County, California. Institute of Ecology/DES, University of California.
- Weill, A.M., Watson, L.M., Latimer, A.M., 2020. Walking through a ‘phoenix landscape’: hiker surveys reveal nuanced perceptions of wildfire effects. *Int. J. Wildland Fire* 29, 561–571. <https://doi.org/10.1071/WF19053>
- Westcott, R., Rue, D.L., 2017. New anthophilous host associations for adult *Acmaeodera* Eschscholtz, 1829 (Coleoptera: Buprestidae) species from the western United States and Texas. *Insecta Mundi*.
- Wey, T.W., Chang, A.T., Fogarty, S., Sih, A., 2014. Personalities and presence of hyperaggressive males influence male mating exclusivity and effective mating in stream water striders. *Behav Ecol Sociobiol* 69, 27–37. <https://doi.org/10.1007/s00265-014-1814-8>
- Wey, T.W., Chang, A.T., Montiglio, P.-O., Fogarty, S., Sih, A., 2015. Linking short-term behavior and personalities to feeding and mating rates in female water striders. *Behav Ecol* 26, 1196–1202. <https://doi.org/10.1093/beheco/arv065>
- Wilson, J.S., Pitts, J.P., 2012. Identifying Pleistocene refugia in North American cold deserts using phylogeographic analyses and ecological niche modelling. *Diversity and Distributions* 18, 1139–1152. <https://doi.org/10.1111/j.1472-4642.2012.00902.x>
- Wilson, J.S., Pitts, J.P., 2011. Pleistocene connection between the Nearctic Mediterranean and desert regions in the *Sphaerophthalma unicolor* species-complex (Hymenoptera: Mutillidae). *Insect Conservation and Diversity* 4, 222–234. <https://doi.org/10.1111/j.1752-4598.2010.00124.x>
- Wu, L., Torres, A., 1990. Effects of tall fescue turf on growth and nitrogen fixation potential of the woody legume *Lupinus albifrons*. *Plant Soil* 128, 199–208. <https://doi.org/10.1007/BF00011110>