

STEBBINS COLD CANYON RESERVE

PUBLICATIONS UP TO 2018

Andreazza, F., and J. A. Rosenheim. 2015. Absence of Transgenerational Phenotypic Plasticity in Fecundity in the Parasitoid *Anagrus erythroneurae* (Hymenoptera: Mymaridae). *Journal of Insect Science* 15.

Balachowski, J. A., P. M. Bristiel, and F. A. Volaire. 2016. Summer dormancy, drought survival and functional resource acquisition strategies in California perennial grasses. *Annals of Botany* 118:357–368.

Barbara Németh, M., and N. L. Smith-Huerta. 2002. Effects of Pollen Load Composition and Deposition Pattern on Pollen Performance in *Clarkia unguiculata* (Onagraceae). *International Journal of Plant Sciences* 163:795–802.

Benard, M. F., and J. A. Fordyce. 2003. Are induced defenses costly? Consequences of predator-induced defenses in western toads, *Bufo boreas*. *Ecology* 84:68–78.

Benoit, L. F., and A. M. Berry. 1987. *Cercocarpus betuloides* and *Ceanothus* sp Field Surveys and Plant Material Collections in Stebbins Reserve 1986 and 1987.

Page 1.

Berger, E., and G. Phan. 2000. Estimating Attributes of Pollinator Attraction. Pages 16–22.

Boose, D. L. 1993. Pollinator behavior on plant reproductive success. Page 5.

Boose, D. L. 1997. Sources of variation in floral nectar production rate in *Epilobium canum* (Onagraceae): implications for natural selection. *Oecologia* 110:493–500.

- Calkin, H. W. 1983a. Seasonal progressions in the water relations of deciduous and evergreen perennials co-occurring in a moist chaparral site.
- Calkin, H. W. 1983b. Null Balance systems.
- Calkin, H. W., C. E. Pearcy, and C. Oechel. 1982. Seasonal progressions in the water relations of deciduous and evergreen perennials in the northern California chaparral. Page 591.
- Calkin, H. W., and R. W. Pearcy. 1984a. Seasonal progressions of tissue and cell water relations parameters in evergreen and deciduous perennials. *Plant, Cell & Environment* 7:347–352.
- Calkin, H. W., and R. W. Pearcy. 1984b. Leaf conductance and transpiration, and water relations of evergreen and deciduous perennials co-occurring in a moist chaparral site. *Plant, Cell & Environment* 7:339–346.
- Chang, A. T., and A. Sih. 2013. Multilevel selection and effects of keystone hyperaggressive males on mating success and behavior in stream water striders. *Behavioral Ecology*:art044.
- Clause, A. G. 2015. Temperature Shock as a Mechanism for Color Pattern Aberrancy in Snakes. *Herpetology Notes* 8:331–334.
- Cridland, J. M., S. R. Ramirez, C. A. Dean, A. Sciligo, and N. D. Tsutsui. 2018. Genome Sequencing of Museum Specimens Reveals Rapid Changes in the Genetic Composition of Honey Bees in California. *Genome Biology and Evolution* 10:458–472.

- Dawson, K. J. 1983. Recreational management for newly established natural areas
Landscape Planning. Pages 544–550.
- Dawson, K. J. 1985. Natural area planning for recreational use transition. Landscape
Planning 12:111–123.
- Dole, J. A. 1992. Reproductive Assurance Mechanisms in Three Taxa of the *Mimulus*
guttatus Complex (Scrophulariaceae). American Journal of Botany 79:650–659.
- ESP123. 1979. Chaparral Glade Ecotones; Plant Mosaics; Grassland-Shrub Canopy
Ecotone.
- Falyn, J. 2004. Berryessa Trail and Paddle Guide.
- Feder, H. 2017. “The Universe is Imaginative”: An Interview with David Robertson.
Western American Literature 52:243–266.
- Fitzgerald, M., and S. L. Ustin. 1995. Measuring Dry Plant Residues in Grasslands: A
Case Study Using AVIRIS:2567–2578.
- Foley, J., D. Rejmanek, C. Foley, and M. Matocq. 2016. Fine-scale genetic structure of
woodrat populations (Genus: *Neotoma*) and the spatial distribution of their tick-
borne pathogens. Ticks and Tick-borne Diseases 7:243–253.
- Fordyce, J. A. 2000. A Model Without a Mimic: Aristolochic Acids from the California
Pipevine Swallowtail, *Battus philenor* *hirsuta*, and Its Host Plant, *Aristolochia*
californica. Journal of Chemical Ecology 26:2567–2578.
- Fordyce, J. A. 2001. The lethal plant defense paradox remains: inducible host-plant
aristolochic acids and the growth and defense of the pipevine swallowtail.
Entomologia Experimentalis et Applicata 100:339–346.

- Fordyce, J. A. 2003. Aggregative feeding of pipevine swallowtail larvae enhances hostplant suitability. *Oecologia* 135:250–257.
- Fordyce, J. A. 2006. Between-clutch interactions affect a benefit of group feeding for pipevine swallowtail larvae. *Ecological Entomology* 31:75–83.
- Fordyce, J. A., and A. A. Agrawal. 2001. The role of plant trichomes and caterpillar group size on growth and defence of the pipevine swallowtail *Battus philenor*. *Journal of Animal Ecology* 70:997–1005.
- Fordyce, J. A., R. D. Dimarco, B. A. Blankenship, and C. C. Nice. 2010. Host plant trichomes and the advantage of being big: progeny size variation of the pipevine swallowtail. *Ecological Entomology* 35:104–107.
- Fordyce, J. A., Z. H. Marion, and A. M. Shapiro. 2005. Phenological Variation in Chemical Defense of the Pipevine Swallowtail, *Battus philenor*. *Journal of Chemical Ecology* 31:2835–2846.
- Fordyce, J. A., and C. C. Nice. 2003. Contemporary Patterns in a Historical Context: Phylogeographic History of the Pipevine Swallowtail, *Battus Philenor* (papilionidae). *Evolution* 57:1089–1099.
- Fordyce, J. A., and C. C. Nice. 2004. Geographic Variation in Clutch Size and a Realized Benefit of Aggregative Feeding. *Evolution* 58:447–450.
- Fordyce, J. A., C. C. Nice, and A. M. Shapiro. 2006. A novel trade-off of insect diapause affecting a sequestered chemical defense. *Oecologia* 149:101–106.

- Fordyce, J. A., and A. M. Shapiro. 2003. Another Perspective on the Slow-growth/High-mortality Hypothesis: Chilling Effects on Swallowtail Larvae. *Ecology* 84:263–268.
- Forister, M. L., J. A. Fordyce, and A. M. Shapiro. 2004. Geological barriers and restricted gene flow in the holarctic skipper *Hesperia comma* (Hesperiidae). *Molecular Ecology* 13:3489–3499.
- Fremier, A. K., and T. S. Talley. 2009. Scaling riparian conservation with river hydrology: Lessons from blue elderberry along four California rivers. *Wetlands* 29:150–162.
- French, L. D. 1982. Annual Report of the UC Stebbins Cold Canyon Preserve Terrestrial Arthropod Survey. Pages 514–522.
- Gadau, J., S. G. Brady, and P. S. Ward. 1999. Systematics, Distribution, and Ecology of an Endemic California *Camponotus quercicola* (Hymenoptera: Formicidae). *Annals of the Entomological Society of America* 92:514–522.
- Gamon, J. A., and R. W. Pearcy. 1988a. Photosynthesis on *Vitis californica*: the lack of photoinhibition under natural conditions. Pages 487–494.
- Gamon, J. A., and R. W. Pearcy. 1988b. Inhibition of photosynthesis in *Vitis californica* by extreme temperatures and high PFD.
- Gamon, J. A., and R. W. Pearcy. 1990. Photoinhibition in *Vitis californica*: interactive effects of sunlight, temperature and water status. *Plant, Cell & Environment* 13:267–275.

- Greene, C. M., M. Huntzinger, D. Shannon, and J. French. 2001. The natural history of Stebbins Cold Canyon Reserve. University of California, Natural Reserve System, [California].
- H. W. Calkin. 1980. Seasonal patterns of diurnal water relations in three California chaparral species.
- Hamm, C. A. 2010. Multivariate discrimination and description of a new Species of *Tapinoma* from the western United States:20–29.
- Hammond, J. I., B. Luttbeg, T. Brodin, and A. Sih. 2012. Spatial scale influences the outcome of the predator–prey space race between tadpoles and predatory dragonflies. *Functional Ecology* 26:522–531.
- Hart, Q. J. 1994. Estimating Dry Grass Residues Using Landscape Intergration Analysis.
- Haun, L. 1982. The Census of the Pasadena Screech Owl (*Otus asio quercinus*).
- Heinz, K. M. 1996. Host size selection and sex allocation behaviour among parasitoid trophic levels. *Ecological Entomology* 21:218–226.
- Heydon, S. L., and Z. Bouček. 1992. Taxonomic changes in nearctic Pteromalidae, with the description of some new taxa (Hymenoptera: Chalcidoidea). *Proceedings of the Entomological Society of Washington* 94:471–489.
- Kaitala, A. 1989. The Study of the Waterstrider *Gerris remigis* in Stebbins Cold Canyon. University of California, Davis.
- Kaitala, A., and Dingle. 1988. The effect of wing dimorphism on territoriality and mating strategies of the waterstrider *Gerris remigis*.

- Kaitala, A., and H. Dingle. 1992. Spatial and Temporal Variation in Wing Dimorphism of California Populations of the Waterstrider *Aquarius remigis* (Heteroptera: Gerridae). *Annals of the Entomological Society of America* 85:590–595.
- Kaitala, A., and H. Dingle. 1993. Wing dimorphism, territoriality and mating frequency of the waterstrider *Aquarius-remigis* :163–168.
- Klahorst, S. 2009. At home in nature:23–27.
- Krahulcová, A., P. Trávníček, F. Krahulec, and M. Rejmánek. 2017. Small genomes and large seeds: chromosome numbers, genome size and seed mass in diploid *Aesculus* species (Sapindaceae). *Annals of Botany* 119:957–964.
- Kremen, C., R. L. Bugg, N. Nicola, S. A. Smith, R. W. Thorp, and N. M. Williams. 2002. Native bees, native plants and crop pollination in California. *Fremontia, a Journal of the California Native Plant Society* 30:41–49.
- Krimmel, B. A., and I. S. Pearse. 2013. Sticky plant traps insects to enhance indirect defence. *Ecology Letters* 16:219–224.
- Krimmel, B. A., and I. S. Pearse. 2014. Generalist and sticky plant specialist predators suppress herbivores on a sticky plant. *Arthropod-Plant Interactions* 8:403–410.
- Krimmel, B., and I. S. Pearse. 2016. Tolerance and phenological avoidance of herbivory in tarweed species. *Ecology* 97:1357–1363.
- Langellotto, G. A., J. A. Rosenheim, and M. R. Williams. 2005. Enhanced Carbon Enrichment in Parasitoids (Hymenoptera): A Stable Isotope Study. *Annals of the Entomological Society of America* 98:205–213.

- Langellotto, G. A., J. A. Rosenheim, and M. R. Williams. 2006. Assessing trophic interactions in a guild of primary parasitoids and facultative hyperparasitoids: stable isotope analysis. *Oecologia* 150:291–299.
- Lawrence, D. P., F. Peduto Hand, W. D. Gubler, and F. P. Trouillas. 2017. Botryosphaeriaceae species associated with dieback and canker disease of bay laurel in northern California with the description of *Dothiorella californica* sp. nov. *Fungal Biology* 121:347–360.
- Lynch, M. F., A. L. Fesnock, and D. V. Vuren. 1994. Home Range and Social Structure of the Dusky-Footed Woodrat (*Neotoma fuscipes*). *Northwestern Naturalist* 75:73–75.
- Lyons, K. G., A. M. Shapiro, and M. W. Schwartz. 2010. Distribution and Ecotypic Variation of the Invasive Annual Barb Goatgrass (*Aegilops triuncialis*) on Serpentine Soil. *Invasive Plant Science and Management* 3:376–389.
- Montiglio, P.-O., T. W. Wey, A. T. Chang, S. Fogarty, and A. Sih. 2016. Multiple mating reveals complex patterns of assortative mating by personality and body size. *Journal of Animal Ecology* 85:125–135.
- Montiglio, P.-O., T. W. Wey, A. T. Chang, S. Fogarty, and A. Sih. 2017a. Correlational selection on personality and social plasticity: morphology and social context determine behavioural effects on mating success. *Journal of Animal Ecology* 86:213–226.

- Montiglio, P.-O., T. W. Wey, and A. Sih. 2017b. Effects of the group's mix of sizes and personalities on the emergence of alternative mating systems in water striders. *Behavioral Ecology* 28:1068–1074.
- Moore, E. M., and J. Moore. 2001. Geology of the Putah Creek - Cache Creek Watershed Region.
- Németh, M. B., and N. L. Smith-Huerta. 2003. Pollen Deposition, Pollen Tube Growth, Seed Production, and Seedling Performance in Natural Populations of *Clarkia unguiculata* (Onagraceae). *International Journal of Plant Sciences* 164:153–164.
- Nice, C. C., and J. A. Fordyce. 2006. How caterpillars avoid overheating: behavioral and phenotypic plasticity of pipevine swallowtail larvae. *Oecologia* 146:541–548.
- Oqvist, C. 1999. Surface and Bedrock Geology of the Cold Canyon Area, Vaca Mountains, Solano County, California.
- Orlando, V., J. J. Chitambar, K. Dong, V. N. Chizhov, D. Mollov, W. Bert, and S. A. Subbotin. 2016. Molecular and morphological characterisation of *Xiphinema americanum*-group species (Nematoda: Dorylaimida) from California, USA, and other regions, and co-evolution of bacteria from the genus *Candidatus Xiphinematobacter* with nematodes. *Nematology* 18:1015–1043.
- Pauly, G. B., and M. F. Benard. 2002. *Crotalus Viridis Oregonus*:56–57.
- Peña-Santiago, R., S. Álvarez-Ortega, and S. A. Subbotin. 2013. Morphological and molecular study of Californian species of the genus *Aporcelaimellus* Heyns, 1965 (Dorylaimida: Aporcelaimidae). *Nematology* 15:431–449.

- Rejmanek, M., D. M. Richardson, and P. Pysek. 2005. Ch 13: Plant invasions and invasibility of plant communities. Pages 332–355. Blackwell.
- Rering, C. C., J. J. Beck, G. W. Hall, M. M. McCartney, and R. L. Vannette. 2017. Nectar-inhabiting microorganisms influence nectar volatile composition and attractiveness to a generalist pollinator. *New Phytologist*:n/a-n/a.
- Rorabaugh, J. 1981. The Salamanders of the Stebbins Cold Canyon Reserve: A Survey. Page 29.
- Rosenheim, J. A., S. J. Jepsen, C. E. Matthews, D. S. Smith, and M. R. Rosenheim. 2007. Portrait of an Ephemeral Adult Stage: Egg Maturation, Oviposition, and Longevity of the Gall Midge *Rhopalomyia californica* (Diptera: Cecidomyiidae). *Annals of the Entomological Society of America* 100:549–561.
- Rosenheim, J. A., S. J. Jepsen, C. E. Matthews, D. S. Smith, and M. R. Rosenheim. 2008. Time Limitation, Egg Limitation, the Cost of Oviposition, and Lifetime Reproduction by an Insect in Nature. *The American Naturalist* 172:486–496.
- Schluter, D. 1988. Character Displacement and the Adaptive Divergence of Finches on Islands and Continents. *The American Naturalist* 131:799–824.
- Schmidt, R. H. 1983. Recent Advances in Methodology for Delivery of Active Ingredients for Coyote Management.
- Schmidt, R. H. 1984. Coyote Delivery Device Trials at Stebbins Cold Canyon Reserve.
- Schmidt, R. H., and J. Cairns. 1986. Community-level effects of coyote population reduction. Pages 49–65.

- Scott, S. M., and F. G. Dingle. 1990. Developmental programs and adaptive syndromes in insect life cycles.
- Segoli, M. 2016. Effects of habitat type and spatial scale on density dependent parasitism in *Anagrus* parasitoids of leafhopper eggs. *Biological Control* 92:139–144.
- Segoli, M., and J. A. Rosenheim. 2013a. Limits to the reproductive success of two insect parasitoid species in the field. *Ecology* 94:2498–2504.
- Segoli, M., and J. A. Rosenheim. 2013b. The link between host density and egg production in a parasitoid insect: comparison between agricultural and natural habitats. *Functional Ecology* 27:1224–1232.
- Sih, A., A. T. Chang, and T. W. Wey. 2014. Effects of behavioural type, social skill and the social environment on male mating success in water striders. *Animal Behaviour* 94:9–17.
- Sih, A., P.-O. Montiglio, T. W. Wey, and S. Fogarty. 2017. Altered physical and social conditions produce rapidly reversible mating systems in water striders. *Behavioral Ecology* 28:632–639.
- Smith, D. R. 2011. The Nearctic Oak-Feeding Sawflies of *Periclista* Subgenus *Neocharactus* (Hymenoptera: Tenthredinidae). *Transactions of the American Entomological Society (1890-)* 137:225–250.
- Snow, A. A. 1983. Evidence for pollen tube competition in *Epilobium canum* (Onograceae). Page 1.

- Snow, A. A. 1986. Pollination Dynamics in *Epilobium canum* (Onagraceae):
Consequences for Gametophytic Selection. *American Journal of Botany* 73:139–
151.
- Sommer, B., and B. Sommer. 1996. Mushrooms of the Stebbins Cold Canyon Reserve.
Page 12.
- Stein, M. S. 2001. Stebbins' Cold Canyon Reserve:6–7.
- Stitt, E. W. 2007. *Thamnophis atratus* (coast garter snake). *Arboreal behavior.*:157–158.
- Stoms, D. M. 2014. Ecological Research Reserve Planning. Pages 175–203 *in* K. M.
Reynolds, P. F. Hessburg, and P. S. Bourgeron, editors. *Making Transparent
Environmental Management Decisions*. Springer Berlin Heidelberg.
- Talley, T. 2005. Spatial ecology and conservation of the valley elderberry longhorn
beetle.
- Teague, S. 1983. Aquatic Invertebrates and Algae of the GL Stebbins Cold Canyon
Reserve. Page 15.
- Thomson, R. C., P. Q. Spinks, and H. B. Shaffer. 2010. Distribution and Abundance of
Invasive Red-Eared Sliders (*Trachemys scripta elegans*) in California's
Sacramento River Basin and Possible Impacts on Native Western Pond Turtles
(*Emys marmorata*). *Chelonian Conservation and Biology* 9:297–302.
- Torres-Lezama, A. 1989. Affects of competition and environmental factors on life history
parameters of *Lupinua albifrons*.

- Torres-Lezama, A. 1990. Effects of competition and environmental factors on life history parameters of *Lupinus albifrons* Benth. Dissertation Abstracts International. B, Sciences and Engineering 51:553B-554B.
- Ustin, S. L., Q. J. Hart, G. Scheer, and L. Duan. 1994. Estimating Dry Grass Biomass Residues Using AIRIS Image Analysis:1211–1212.
- USTIN, S. L., Q. J. HART, L. DUAN, and G. SCHEER. 1996. Vegetation mapping on hardwood rangelands in California. *International Journal of Remote Sensing* 17:3015–3036.
- Valladares, F., and R. W. Pearcy. 1997. Interactions between water stress, sun-shade acclimation, heat tolerance and photoinhibition in the sclerophyll *Heteromeles arbutifolia*. *Plant, Cell & Environment* 20:25–36.
- Valladares, F., and R. W. Pearcy. 1998. The functional ecology of shoot architecture in sun and shade plants of *Heteromeles arbutifolia* M. Roem., a Californian chaparral shrub. *Oecologia* 114:1–10.
- Valladares, F., and R. W. Pearcy. 1999. The geometry of light interception by shoots of *Heteromeles arbutifolia*: morphological and physiological consequences for individual leaves. *Oecologia* 121:171–182.
- Valladares, F., and R. W. Pearcy. 2002. Drought can be more critical in the shade than in the sun: a field study of carbon gain and photo-inhibition in a Californian shrub during a dry El Niño year. *Plant, Cell & Environment* 25:749–759.
- Ward, P. S. 1984. The Ant Fauna of Stebbins Cold Canyon Reserve - a preliminary report. Page 6.

- Ward, P. S. 1987. Distribution of the introduced Argentine ant (*Iridomyrmex humilis*) in natural habitats of the lower Sacramento valley and its effects on the indigenous ant fauna:39828.
- Ward, P. S. 1988a. Research report on ant studies at Stebbins Cold Canyon Reserve. Page 2.
- Ward, P. S. 1988b. Mesic Elements in the Western Nearctic Ant Fauna: Taxonomic and Biological Notes on *Amblyopone*, *Proceratium*, and *Smithistruma* (Hymenoptera: Formicidae). *Journal of the Kansas Entomological Society* 61:102–124.
- Ward, P. S. 1999. Deceptive similarity in army ants of the genus *Neivamyrmex* (Hymenoptera: Formicidae): taxonomy, distribution and biology of *N. californicus* (Mayr) and *N. nigrescens* (Cresson):74–97.
- Weathers, W. W., and R. Cole. 1985. Flora and Fauna of the Stebbins Cold Canyon Reserve, Solano County, California. Institute of Ecology/DES, University of California.
- Westcott, R., and D. L. Rue. 2017. New anthophilous host associations for adult *Acmaeodera* Eschscholtz, 1829 (Coleoptera: Buprestidae) species from the western United States and Texas. *Insecta Mundi*.
- Wey, T. W., A. T. Chang, S. Fogarty, and A. Sih. 2015a. Personalities and presence of hyperaggressive males influence male mating exclusivity and effective mating in stream water striders. *Behavioral Ecology and Sociobiology* 69:27–37.

- Wey, T. W., A. T. Chang, P.-O. Montiglio, S. Fogarty, and A. Sih. 2015b. Linking short-term behavior and personalities to feeding and mating rates in female water striders. *Behavioral Ecology* 26:1196–1202.
- Wilson, J. S., and J. P. Pitts. 2011. Pleistocene connection between the Nearctic Mediterranean and desert regions in the *Sphaerophthalma unicolor* species-complex (Hymenoptera: Mutillidae). *Insect Conservation and Diversity* 4:222–234.
- Wilson, J. S., and J. P. Pitts. 2012. Identifying Pleistocene refugia in North American cold deserts using phylogeographic analyses and ecological niche modelling. *Diversity and Distributions* 18:1139–1152.
- Wu, L., and A. Torres. 1990. Effects of tall fescue turf on growth and nitrogen fixation potential of the woody legume *Lupinus albifrons*. *Plant and Soil* 128:199–208.